



89 | 3662
B

In re Patent Application of

Confirmation No. 6167

O'BRIEN

Atty. Ref.: 540-321

Serial No. 10/052,106

Group:

Filed: January 17, 2002

Examiner:

For: IMPROVED ATM CELL HANDLING

* * * * *

April 21, 2005

Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Sir:

LETTER

We are informed by our British client that the corresponding British application has been declassified, pursuant to the enclosed copy of a UK Patent Office letter dated February 28, 2005. Please confirm that the Secrecy Order in the subject application has been rescinded.

Respectfully submitted,


NIXON & VANDERHYE P.C.

By:

Stanley C. Spooner
Reg. No. 27,393

SCS:kmm
1100 North Glebe Road, 8th Floor
Arlington, VA 22201-4714
Telephone: (703) 816-4000
Facsimile: (703) 816-4100

cc: Diane Winter, Armed Services Patent Advisory Board



INVESTOR IN PEOPLE

321
MMI

BAE SYSTEMS (Defence Systems) Ltd
% BAE SYSTEMS plc
Group IP Department
Lancaster House, P.O. Box 87
Farnborough Aerospace Centre
Farnborough, Hampshire, GU14 6YU

**The Patent Office
Patents Directorate**

Concept House
Cardiff Road, Newport
South Wales NP10 8QQ
United Kingdom

Direct line: 01633 814407
Fax: 01633 814415
<http://www.patent.gov.uk>

All correspondence in connection with this application should be addressed to Mr M.G.Wilson, Room GR70.

Your reference: XA1296
Our reference: C(S)003

28 February 2005

Dear Sirs

Application No. GB0101705.2

With reference to the above application, I can now inform you that the directions under Section 22 of the Patents Act prohibiting communication and publication of the information therein have been revoked.

In consequence, it will now be treated as a normal application and any conditions as to secrecy which the Comptroller may have imposed on applications relating to the same invention filed or to be filed abroad are now withdrawn.

However, no further action will be taken in consequence of its having been deemed withdrawn following your letter of 23/04/2002.

Yours faithfully

M G Wilson